
TABLE OF CONTENTS

1.	Introduction to Biological Soil Crusts	1
1.1	Biological Soil Crust Components	3
1.2	Microstructure	5
1.3	Morphological Groups	6
1.4	Differentiating Types of Biological Soil Crusts in the Field	6
1.5	What Biological Soil Crusts Are Not: Physical Soil Crusts	7
2.	Distribution and Factors Influencing Species Composition	11
2.1	Distribution	11
2.2	Factors Influencing Distribution	14
2.2.1	Elevation	14
2.2.2	Soils and Topography	17
2.2.3	Disturbance	19
2.2.4	Timing of Precipitation	21
2.2.5	Vascular Plant Community Structure	22
2.2.6	Ecological Gradients	22
2.2.7	Microhabitats	23
2.3	Unique Crustal Communities in North America	23
2.3.1	Gypsum	23
2.3.2	Glades (Lithic and Shallow Soil Sites)	24
2.3.3	Thermal Springs	24
2.3.4	Playas	25
2.3.5	Alpine Sod	25
2.3.6	Arctic Tundra	25
2.4	Example: Biological Soil Crusts in Sagebrush Communities	26
3.	Ecological Roles	29
3.1	Species Composition and Biomass	29
3.2	Carbon Fixation	29
3.3	Nitrogen Fixation	31
3.4	Albedo	32
3.5	Effects on Vascular Plants	33
3.5.1	Seed Germination	33
3.5.2	Plant Establishment and Cover	33
3.5.3	Nutrient Levels in Vascular Plants	34
3.6	Water Relations	35
3.7	Soil Stabilization	40

4.	Response to Natural Impacts and Human Actions	41
4.1	Evolutionary History of Natural Impacts	41
4.1.1	Grazing Characteristics	41
4.1.2	Fire	42
4.2	Disturbance Effects	44
4.2.1	Disturbance Severity, Size, Frequency, and Timing	44
4.2.2	Disturbance Effects on Species Composition	45
4.2.2.1	Air Pollution	45
4.2.2.2	Oil Spills, Insecticides, and Herbicides	47
4.2.2.3	Annual Plant Invasion	47
4.2.2.4	Fire	47
4.2.2.5	Mechanical Disturbance	49
4.2.2.6	Burial	50
4.2.3	Disturbance Effects on Nutrient Inputs and Retention	50
4.2.3.1	Carbon Fixation	50
4.2.3.2	Nitrogen Inputs	52
4.2.4	Disturbance and Vascular Plants	54
4.2.5	Disturbance and Surface Albedo	54
4.2.6	Disturbance and Soil Hydrology	55
4.2.7	Disturbance Relative to Wind and Water Erosion	55
4.2.7.1	Water Erosion	55
4.2.7.2	Wind Erosion	56
4.3	Factors Influencing Natural Recovery Rates	56
4.3.1	Sequence of Species Appearance	58
4.3.2	Soil Texture	58
4.3.3	Climate Regimes	61
4.3.4	Disturbance Type, Frequency, Severity, and Size	61
4.3.5	Condition of Adjoining Substrate	62
4.3.6	Vascular Plant Community Structure	62
4.3.7	Nitrogen and Carbon Fixation	63
4.3.8	Surface Albedo	63
5.	Management Techniques to Maintain or Improve Existing Biological Soil Crusts	65
5.1	Fire	65
5.1.1	Prescribed Fire	65
5.1.2	Post-fire Management	66
5.2	Livestock Grazing	67
5.3	Recreational Use Management	69
6.	Monitoring Biological Soil Crusts	71
6.1	Monitoring Methods	71
6.1.1	Sampling Design and Procedures	73
6.1.2	Using Morphological Groups for Monitoring	73
6.1.3	Quadrat Methods	74
6.1.4	Line-intercept Methods	75

6.1.5	Line-point Intercept Methods	81
6.1.6	The Issues of Scale	81
6.1.7	Voucher Specimens	81
6.1.8	Statistical Considerations	82
6.2	Other Monitoring Methods	83
6.3	Impacts of Monitoring	83
7.	Internet Resources for Biological Soil Crusts	85

Glossary	87
-----------------------	-----------

References	89
-------------------------	-----------

List of Figures

Figure 1.1	Biological soil crusts of the Colorado Plateau	1
Figure 1.2	<i>Microcoleus vaginatus</i> , one of the predominant cyanobacteria comprising biological soil crusts	4
Figure 1.3	Physical soil crusts	10
Figure 2.1	Arid and semi-arid ecoregions of western North America	12
Figure 2.2	Biological soil crusts of the Great Basin and Sonoran deserts	13
Figure 2.3	Biological soil crust forms based on temperature characteristics of the environment	15
Figure 2.4	General ecological relationships for biological soil crusts	18
Figure 2.5	Soil stability relative to texture and moisture status	20
Figure 2.6	Gelatinous and other nitrogen-fixing lichens by relative soil temperature and calcareous influence	23
Figure 3.1	Disturbance plots on the Colorado Plateau showing the difference in soil surface color between undisturbed (dark) and disturbed (light) plots	32
Figure 3.2	Sandberg bluegrass (<i>Poa secunda</i>) growing in well-developed biological soil crusts in the northern Great Basin	33
Figure 3.3	Soil-water relationships with biological soil crusts	36
Figure 3.4	Biological soil crust and soil characteristics that influence infiltration	39
Figure 3.5	The sheath of <i>Microcoleus vaginatus</i> contains sticky polysaccharides that entrap soil particles and bind them together	40
Figure 4.1	Comparison of community structure in ecosystems that evolved with (midwestern prairie) and without (desert grassland) large herds of grazing mammals	41
Figure 4.2	Natural and altered fire cycles in sagebrush communities of the Great Basin	43
Figure 4.3	Successional sequence for biological soil crusts	46
Figure 4.4	Changes in the vascular plant community structure due to cheatgrass invasion	48

Figure 4.5	Susceptibility of biological crusts to mechanical disturbance based on dominant morphological group	49
Figure 4.6	Resistance of sandy loam soils to wind erosion following disturbance to a well-developed biological soil crust in four time classes	57
Figure 4.7	Resistance of soil surfaces to wind erosion	57
Figure 4.8	Generalized recovery sequence for biological soil crusts	59
Figure 4.9	Biological soil crust vulnerability and recoverability based on site stability, effective precipitation, and disturbance regime	60
Figure 5.1	Soil surface disturbance associated with post-fire revegetation projects	66
Figure 5.2	Biological crust development in a successful seeding in the northern Great Basin and lack of development in an exotic annual grass community	67
Figure 5.3	Native grazers in the western U.S., such as pronghorn antelope and mule deer, tend to use higher, more productive sites during summer and move to lower elevation sites for winter forage	68
Figure 5.4	Vehicular disturbance to biological soil crusts	69
Figure 6.1	Quadrat frame used for point-cover estimation	75
Figure 6.2	Data form for point-intercept using a quadrat method and example of data collection	76
Figure 6.3	Use of line-intercept for measuring biological crust cover along with other community attributes (vascular plant cover, litter, bare mineral soil, rock)	78
Figure 6.4	Line-intercept data form and example of data collection	79

List of Tables

Table 1.1	Morphological groups for biological soil crust components with examples of common taxa or groups	8
Table 2.1	Soil crust lichens endemic to North America with both wide and limited distributions	14
Table 2.2	Soil, climatic, and vegetative characteristics for low and mid elevations in temperate North American arid and semi-arid ecoregions	16
Table 2.3	Dominant biological soil crust components and forms in North American arid and semi-arid ecoregions	17
Table 2.4	Soil crust lichens that are calcium carbonate indicators	21
Table 2.5	Relative cover of biological soil crusts in sagebrush (<i>Artemisia</i>) vegetation types	27
Table 3.1	Common nitrogen-fixing lichens and cyanobacteria in cool and hot deserts of the western U.S.	30
Table 4.1	Percent frequency of biological soil crust organisms on loamy and sandy soils inside and outside the enclosure at Koonamore Vegetation Reserve, South Australia, in May 1972	51

Table 4.2	Reduction of nitrogenase activity for new and older disturbances on silty soils of the Dugway Proving Ground, Utah	52
Table 4.3	Characteristics of early colonizing lichens	61
Table 6.1	Attributes of biological crust monitoring strategies	72
Table 6.2	Classification of results from the slake test	84